G.R.S. IX-5]

Previous references.

Mal 227-20 (142) (1921 Mal ')

File No. 119-21

Serial Nos. 1—11

Later references.

GENERAL AND REVENUE SECRETARIAT

Serial Nos.

Part B for

SUBJECT

Seperation of the Harihar and Davanagere Water Works

cl. 1) From the D C Chitaldrug (No 114 Mal dt 28/2/22)
Asks for orders of Govt, regarding the Davangere Municipality if that with effect from 1st January 1922, Harihar municipality may be asked to make their own arrangements to have a seperate scheme of water supply as the combined arrangement is not likely to work well in future and states that he is not prepared to support this claim of the Harihar municipality

cl 2) Gives reasons for not supporting the claim & recommends, that in view of the unfortunate & unfair condition of Harihar Town municipality to undertake to manage the water works independently at present, that the period of amalgamation may be extended.

cl. 3) Order No L 3372-74 dt 8.11.22 Extends the period of amalgamation by Six months from 1st Feb 1923

Printed on the Multigraph.

To The D.C. Chitaldrug
" Chief Engr for Irrigation
"

SRS
3.11

G R S 11]

GENERAL AND REVENUE SECRETARIAT

NOTES

File No 119-21

FILE HEADING

Separation of the Harbour & Dawnapere road works

From The D C Chittagong District

No. C 114 Dated 28 10 21 Received 31 10 21

Diary No 2257 Enclo 3 Spare Copies — Serial No 1

BRIEF ABSTRACT OF LETTER

Forwards for orders of Govt the resn of the Dawnapere Union Board that with effect from January 1922 Harbour mstr may be asked to make their own arrangements to have a separate [illegible] as not likely

NOTES AND ORDERS

1) Submitted for orders into ref case

2) The D.C is not willing to support the claim of the Dawnapere Board to have their own separate installation

(Revsey) 2. DCS 24/11/21

NOTES—First Sheet 2/11/21 2/11/21

General and Revenue Secretariat | File No - 719 of 1924

Serial No

3) The D C sees no reason for his opinion & contents himself with the observation that he is not prepared to support Davangere's claim. He does not carry things further; nor is it for any body to expect to decide the matter. The D C may perhaps be asked to go in detail into the merits of the case and give a reasoned opinion.

4) In para 2 of the Davangere Municipal President's letter it is stated that the separation would be advantageous not only to Davangere but to Harihar itself. The Harihar Municipal Council has not had its say in the matter & its views may also be called for.

2/60 5/11 3rd reminder) 5th reminder 3.11.24

7/11

6 Draft please 8-11

Draft put up 8/11/24

8) Issue 9/11/24

NOTE—Contin s ext.

(R. S. III 2)

4085

General and Revenue Secretariat | File No. 119 of 1924

Serial No.	
2	To the D.C Chittagong Dt. No 2755 Dt 19.11.24 Requests him to furnish his opinion in the matter and also to return & forward the opinion of the Hon'ble Medical on the P.C. file
3	From the Deputy Comm Chittagong Dist No C/114/2 Mu 21-22 dated 28th Jany 1922 Furnishes his opinion in the matter of the separation of the Waterworks of the two municipal Councils of Dewangee and Bandar & ordered in the reference to paras 3,4 ts supra

VLB 31/1 TSB 1/2

10 For the reasons explained in the Deputy Commissioner's letter, the period of amalgamation may be allowed to run its course till 1st February 1923

11/2

Rev Secy) As already sanctioned 12 & suitable reply will have to be given (Mr Dawnlee) and Council, that economic reasons the term was & that the Hon'ble Member prefers to make the arrangement for 2 yrs

NOTE—Contn sheet

REVENUE & JUDICIAL SECRETARIAT
1 DEC 192
LOCAL SELF GOVT. BRANCH

4

4038

M. R. S. III 2]

General and Revenue Secretariat. | Mel File No 169 of 1921

Serial No

To Harihar town a year hence effective 1 2 1923

3938/4 2 M

3rd member) -

13 I intend only to answer a thing which may come before the Local Municipal personal interest

16 I had a conference held with at Dwarka and Okha - I was informed that in consumption at Dwarka was increasing every year & that as Carrier often by the rail every year in demand at Dwarka will be so that rail & will not be possible to supply the full amount contracted for Okha - Under these circumstances it is incumbent upon the Municipal Council to make some arrangements for their water supply the question was explained to them they were informed that rail will be possible for the Okha supply every year towards their

4379/14/3

NOTE—Contn sheet.

4038

G R. S. III 2]

General and Revenue Secretariat | Mlk File No 19 of 1921

Serial No

maintenance as was the case formerly & they agreed to maintain their own water supply & were glad that it was not possible for them to lay claim to their claims were not to be allowed to their account as they were & their necessity to keep the land & retaining the land and the rent was not more than 200 rupees. Then that the present rent system may be taken over by the Govt and as the system supplied to them. The agent Dewan & the case in the the Director & Irrigation & Irrigation may be addressed as to whether they can take over the present system for a few years that the rent & maintaining a the system will be may be ascertained from the Water Supply Dept as to the & maintaining system

Mlk
12/3

17 Drafts please
KG 14/3
DCG 14/3/22

18 Submit in the a draft for appn
Vdr 20/3
Mlk 20/3

19 Issue as revised, keeping clean copy on file
DCG 21/3/22

NOTE—Contn sheet.

7/33

[R S III 2] WD 21 —GPB—100—2 6 22

General and Revenue Secretariat | File No 119 of 1921-22

14/6/22 7

Letter No G C 382 dated 20/22nd May 19 from the Dir of Ind & Commerce — S reply to the above that he has no need for an engine of the type under reference but that he will keep it in view and offer it for sale when there is an enquiry + adds that he is awaiting the receipt of information in regard to its price the P W Dept

24 Subd 25— Neither the P W D nor the Industries & Commerce Department is in need of the oil engine at Harihar The Director of Industries however promises to offer it for sale when there is an enquiry

DR 24/6/22

24/6/22

26 The Chief Engineer reports that a gas engine is available at Bannur for Rs 5,500 and that it would quite suit the requirements of Harihar But unless we find a sale for the oil engine, it may not be possible for the Harihar Water Works to go in for the gas plant

6/118 26/6/22

2nd Member) 27 Dey 25/6/22

28 please

G. H. S. III 2]

General and Revenue Secretariat

NL File No 119 of 1921

7133

Serial No	
29	Draft Letter is put up HK, 4/7/1922
	30 Issue dsg 4/7/22
8	To The Dy Comm'r Cuddy dt No L236 & 12/7/22 Forwards Copies of Correspondence between this Office and the Chief Engr and the Director of Stc in the matter and requests the DC to communicate the opinion of the Chief Engr to the Harbour Mc cc
	31 I/I refer w/para 16 Supra it would appear that a formal order asking the Harbour Mc Cl to make their own arrangements for their Water Supply from 1 2 23 appears to be necessary Submitted for Orders HK 19/7/1922
	32 Whether the Harbour Municipal Council is in a position to take up the question of m its own arrangements in this respect before it disposes of the oil engine has to be ascertained before passing an order as above If approved the Dy Comm'r will be addressed on the matter
	(2nd Member) 33 dsg 20/7/22 Draft

NOTE—5/17 Cowie street 20/7

7133 9

R. S. III 2]

General and Revenue Secretariat

Jud File No 119 of 1921

Serial No.	
	35 Draft Letter Postponed AK 28/7/22 36 Issued 29/7/22
9	The DC - Chittagong No L 1180 dt 18 22 Requests him to intimate whether the Municipal Council is agreeable to make its own arrangement for the water supply from 1st February 1923 or whether it is to dispose of the Oil Engine before making such arrangement
10	To the Director, Electrical Branch/Dept No C 114 Jud 71 22 dt 17 10 1922 Submits for favourable consideration & orders a copy of the resolution of the Municipal Council resolving that it is not possible for them to make their own arrangements for the water supply from 1st Feby 1923 but the Oil Engine & pumps & that the present amalgamation of the Kanchan and Daranjee water works may be allowed to continue until the existing engines used for is disposed of & proper arrangements made for the water supply

37

NOTE—Co[illegible] e set

L 2109

G R. S. III 2]

General and Revenue Secretariat | Ml File No 119 of 1921

Serial No	
	37 Called for orders with refce to paras 16 & 33 supra AK 30 10 1922 2nd Member) 38 dcs 30/10/22
2660 30 10 22	39 As the time sought extended by 6 months by which time the Municipal Council shd be asked to make their own arrangements Clerk 31/10 31/10/22
	40 Draft accordingly dcs 31/10/22
	41 Draft GO is put up for appl AK 2 11 1922 Issue dcs 7/11/22
11	To The Dy Comr Chief Engr & Chief Engr & Comptroller 2nd L 3372-74 dt 8 11 22 Extends the period of amalgamation of the Begumpore & Hastinar water works the 1st February 1923 by which time, the Hastinar town will should make their own arrangements for their water works

NOTE – C in ea

13735/1

191

REVENUE & JUDICIAL SECRETARIAT
2501
1 NOV 1921
LOCAL S[illegible] GOVT
BRAN

From C Venkata Rao, Esquire, B A ,
Deputy Commissioner,
C[illegible]taldrug

To D [illegible]rishnaiengar, Esquire, B A
Offg Secretary to Government,
Revenue Department, Bangalor

Rel 49-21-1

Dated [illegible] 1 [illegible] 21

Despatched 28th October 19 1

Received

General No C 114

No

Enclosure No

Sir,

[illegible] to state that [illegible] inefficient condition [illegible] Harihar water supply [illegible] and to the difficulty [illegible] tested to get the required materials from England to remedy the defects in the machinery, the Water Works of Harihar were temporarily amalgamated for a period of 13 months with those of this [illegible] vide Government order No 334-5/1 197-1 - dated 31st January 1920). During this period of [illegible] conditions of the market [illegible] still as abnormal as they have been before, the Executive Engineer, Water Supply Division, reported in his

13

Letter No 233 dated 2nd October 1921 from the Presi ent, Da/a[illegible] municipality to the De uty Commissio r, C italdru District

With reference to your D Dis l l)-l da d nd July 1921 communicating O No.R.14030-2/1 .1 7-)-2 da l)th une,1921 in the ter of continuing the amal,amation of Har1 ar / ter works with that vangere for a furt)er period of 1 ent T a c the honor to sta e t at the Municipal Council of Davangere ar not for continuing the amalgami n for such a long period as they are of opinion that their o/n interests will be prejudiced by such a course The enclosed note ich e plains the position of affairs and w ich is concurred in by the unicipa_ ngineer (Mr h S Hutcha Rao) will show that it will not be possible to eet the entire demands of both the towns of Da an and Harihar /ith the l machinery and the Da angere mun_cipal cou/cil a e t/ ref c naturally o pe to a prologged al,a,ation un er he circum ances /hen their o/n ts have to be sti ted in spite of the eavy in tial cost a d the annua charges for up-keep, apart fro/ other incidental ex ens / cl a in t thousands of rupees /hile this is so as re ards Davan,ere, the s a l municipality of Harihar is no wa/ better by its associat on with Da an , as they are paying a heavy co/tribut on relati ely t its o/n incor h it is still a concession fro/ o r stand point

The Harihar municipality has now a oil en ine and i it is replac by a suitable gas engine it is believed t at it can provi e itself ith sufficient quantity of water at a comparatively smaller an ual expen e In that case they need not incur an/ hea/y expense for purpo es of supervision as there is a trained staff at the Da an,ere /ater ork /i a muni ipal Engineer

In view of the above circumstances which were fully discussed at the Davangere municipal council in their meeting held on 20th July 1921 they resolved that the Governme t o r to inform the Harihar muni ipality to ake their own ar,angements a the end of December 1921 A copy of the resolution is herewith forwarded and I requ + that you will be so go d as to obtain early orders in the matter a it is hoped that the Government will in the circumstances explained kindly see their /ay to modify their present order

"C O Y"

for Deputy Commissioner,

S V Chitaldrug District

NOTE ON THE AMALGAMATION OF DAVANGERE AND HARIHAR WATER WORKS

In their order No S [illegible] 6681-5/M1 167-18-6 dated 8th December 1919 and R.8043-5/M1 167-18-6 dated 31st January 1920 Government had sanctioned the amalgamation of the Davangere and Harihar water works for a period of 18 months commencing from 1st February 1920 Again on the strength of letter No 288 dated 9th March 1921 from the Executive Engineer, water supply division, Government have been pleased to order the continuation of the amalgamation for another period of 18 months

But the situation at Davangere has considerably altered since the amalgamation was first sanctioned by Government Private house connections and connections to Factories are being granted and even the consumption from the public fountains has been going up The maximum daily consumption recorded so far has been 198800 gallons in May last and 204000 gallons in January last

The average consumption per Brahmin's factory has been 1750 to 2000 gallons a day There are 13 factories at present in Davangere town and granting that ten of them will take water connection, the extra demand caused thereby will be 13000 gallons

There are already 50 house connections and it is probable that at least 50 more will have to be granted within the next 6 months Providing 40 gallons per day per house, the extra daily demand of these 50 houses will be 2000 gallons so that the total daily demand of the town will be (198800 plus 13000 plus 2000) = 213800 gallons

The present capacity of each of the high lift pumps is 11500 gallons per hour and providing for wear and tear the safe capacity may be taken at 11000 gallons an hour at this rate, the pumps will have to work 208/11 or 19 hours a day to satisfy the bare demands of the town

The gravity filters at the head works will have to be washed once every 18 or 20 hours through drain the monsoons the washing has to be done twice or even thrice a day Each wash takes at least half an hour including the time required for putting on the belt &c, a grant of one hour a day would be a fair margin for this purpose

For the emergencies incident upon belt driving such as snapping of belts hot bearings &c, and upon working of the engines and generators, a period of at least one hour has to be allowed

Taking all the above into account, it will be seen that there will be only 5 hours left for supplying any water to Harihar town and within this period the maximum quantity that can be supplied is 55000 gallons

The average daily consumption of that town is 37000 gallons and goes up to a maximum of 55000 gallons

It is therefore not possible to meet the entire demands of both the towns and so it is advisable that separate machinery be erected at Harihar for supplying water to that town

(Sd) S Chakrapanigengar,
President, Davangere municipality

"C O P Y"

Deputy Commissioner,
Chitaldrug District

S

CTRG

15

Proceedings of the Ordinary monthly meeting of the Davangere Municipal Council held on the

20th July 1921

President

S Chakrapani Iyengar Esquire BA BL President
Sub Division officer Davangere

Vice President

B Bheegavanmatter Esquire BA President
Amildar Davangere Taluk

	Present	Absent
-officio Councillor		
-official members		

Read letter No 728 of 17.6.21 from the Executive Engineer and P.O. No R 14380-2/Mul 127-20 2 of 30.6.1921 re the amalgamation of Harihar water-works with that of Davangere for further period of 18 months

Resolved that the state of things as explained in the note be brought to the notice of Government who will be requested to inform the Harihar Municipality that they should make their own arrangements at the end of December 1921

(Sd) S Chakrapani Iyengar
President

"Copy
S Chakrapani
President,
Davangere Municipality"

G R S 27]

GENERAL AND REVENUE SECRETARIAT

(Continuation sheet draft form)

~~Mal 119-21-2~~ L 2755 W 12 11 '21

To Mal 119-21-2

The D C Chitaldrug

Sir,

With reference to your letter no C 114 Mal 21-22 dated the 28th Octr 1921 re the resolution of the Davanagere Town Mal to separate their water works from that at Harihar from 1st Jan 1922, I am directed to request that with a view to enable Govt to decide the matter, you may go in detail into the merits of the case and give a reasoned opinion as to why you are not prepared to support Davanagere claim in the matter

GPS—13,000—15-3-13.

17 I am to add that
in para 2 of the
Davanagere mil Presidents'
letter, it is stated that
the separation would
be advantageous, not
only to Davanagere but to Harihar
to Harihar itself and that
the views of the Harihar which has not been consulted till now
municipal council should also
obtained and forwarded to
Govt

I have etc

Sd 9/11/22
Secretary to Govt

18

313.9 19

From A K Syed Taj Peeran Esquire B A
Deputy Commissioner,
Chitaldrug

To C Venkata Rao Esquire B A ,
Secretary to Government,
Revenue Department, Bangalore

REVENUE & AGRICULTURE
27 JA 1922
No. 4838
LOCAL GOVTS. BRANCH

mc
119-21-3

Dated
Despatched 28rd January 1922
Received

General No C 114 mc 21-22
No

Enclosure No memo

Sir,

B Adverting to your letter No L 2755 Ml 119-21-2 dated the 12th November 1921 calling for the reasoned opinion as to why my predecessor was not prepared to support the claim of the Davangere municipal council regarding the separation of their water works from those of Harihar municipal council, I have the honor to state as follows -

The water works of Harihar and Davangere were ordered to be amalgamated for a period of 18 months as per Governmen
A orders No R 6681-3/Ml 187-18-6 dated the 8th December 1919 and No R 8043-5/Ml
H 167-18-8 dated the 21st January 1920 sinc the water works machinery of Harihar had been in a state of disorder and the same could not be set right without incurrin huge expenditure consequent on the ab rise in the prices of materials due to

conditions that prevailed at that time The period of amalgamation having been over the Harihar and Davangere municipal councils had been addressed to submit their views as to whether the amalgamation of their respective water works might continue The Harihar municipal council acquiesced in the amalgamation scheme whereas the Davangere municipal council intimated that the reference would be replied to on receipt of information called for from the Executive Engineer, Water Supply Division, Bangalore In the meanwhile on a reference from the Chief Engineer for amalgamating the water works of Harihar and Davangere for a further period of 18 months, the Government were pleased to pass orders sanctioning the amalgamation to continue for a period of 18 months (vide Government order No R 14380-2/Ml 127-20-2 dated the 30th June 1921) and the same were communicated to Harihar and Davangere municipal councils for their information and guidance On this the Davangere municipal council stated that they are not for continuing the amalgamation for such a long time as in their opinion, their own interests will be prejudiced by such a course They further observed that the municipality of Harihar is in no way better by its association with Davangere as it has been paying a heavy contribution relatively to its own income and that if it could only replace the oil engine by a gas engine it could provide itself with a sufficient quantity of water at a comparatively smaller annual expense and the supervision charges will also be very much less as there is a trained staff at the Davangere water works

But the Harihar municipal council could not incur any large outlay for their water works immediately The question of putting their water works in order and replacing the oil engine by a suitable gas engine and the ways and means have to be carefully considered and this requires some time Further the Executive Engineer, water supply Division, considered that the amalgamation was not prejudicial to the interests of the Davangere municipal council On the contrary he has estimated that as a business proposition also the arrangement would be satisfactory even if it is continued for 5 years seeing that as against an extra outlay of Rs 2750 the Davangere municipality would get nearly Rs 3835 by the sale of water (vide the penultimate para of his note forwarded to you with this office letter No C 227 Ml 18-19 dated the 31st March 1919)

In view of the unprepared and helpless condition of the Harihar municipal council to immediately undertake to manage their water works independently and in view of the great difficulty which the people of Harihar will have to experience in respect of sudden separation of the water works of Harihar and Davangere, it was considered necessary to allow the amalgamation to continue for a further period of 18 months as already sanctioned by Government

After all it is not too much to expect the Davangere municipality to sacrifice the smaller interests of a few local individuals for the larger interest of the whole public of the neighbouring sister-municipality of Harihar Of course, the Harihar municipality is in its turn quite prepared as usual to adequately compensate the Davangere municipal council by payment of annual contribution that may fall to its lot The Harihar municipal council has also resolved to make their own arrangement to have a separate scheme for water supply at the end of the period of amalgamation recently sanctioned by Government These reasons seem to have weighed with my predecessor in not supporting the claim of the Davangere municipal council to separate their water works from those of Harihar immediately A copy of the resolution of the Harihar municipal council in the matter is herewith forwarded as called for

I have the honor to be,

S I R,

Your most obedient servant,

Deputy Commissioner,

Chitaldrug District

S V

CRK

AGGS

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

GENERAL AND REVENUE SECRETARIAT

Dated Bangalore, 3 M [illegible] 192 3

No. L 5387/M(114-31 (4

From

C. VENKATA RAO, Esq., B. A.,
Secretary to the Government of His Highness the Maharaja of Mysore
Revenue Department.

To

S Cudambi, Esq, B.A , L C E.,
Chief Engineer in Mysore.

Sir,

During the recent visit of the Third Member of Council to Davangere and Harihar, it was represented that the consumption of water at Davangere was increasing every year and that by the end of next year, the demand at Davangere would be so great that it would not be possible to supply the full amount contracted for to Harihar. It was therefore thought that it was incumbent on the Harihar Municipal Council to make their own arrangements for their water supply. The position was explained to the said Council and it was pointed out that it would not be possible for Government to contribute anything towards the cost of maintenance in future. They thereupon agreed to maintain their own water supply but represented that it would not be possible for them by reason of their small balances and slender resources to bear the cost of replacing the present Oil Engine with a Gas Engine and prayed that the present Oil Engine might be taken over by Government and a Gas Engine supplied to them.

Government are inclined to view the above request with favour and I am therefore directed to request you to be so good as to state whether the Oil Engine in question could be taken over by your Department for a fair price.

I am also to request you to kindly ascertain from the Sanitary Engineer in charge of the Water Supply Department -

Department and report what would be the cost of installing a Gas Engine at the above place.

I have the honor to be,

Sir,

Your most obedient servant,

Sd/ C Venkata Rao

for Secretary to Government,
Revenue Department.

Clean copy to be kept in the file

Add the endorsement to Director I & C

Memo--No. L 5388 pol

Dated Bangalore, the 24th March 1922.

Copy of the above is forwarded with compliments, to the Director of Industries and Commerce, for favour of stating whether the Oil Engine referred to above could be taken over by his Department at a fair price.

" By Order "

for Secretary to Government
Revenue Department.

62290 MCR

No M 8131

24

WD 1978—GPB—5 000—25 1 22

MYSORE PUBLIC WORKS DEPARTMENT

CENTRAL OFFICE,

Dated Bangalore 4 MAY 1922

L 6844

REC'D 6 MAY 1922

LEGAL SECT GOVT BRANCH

Y 1922

FROM

S CADAMBI ESQ

Chief Engineer of Mysore Bangalore

119-21

A. V. Ramanathan, Esq ,B A,,

Secretary to Government,

Revenue Department, Bangalore,

SIR,

With reference to your letter No L 5387/M1 119-21-4 dated the 22nd March 1922, regarding the proposed new pumping plant for the Harihar Water Supply, I have the honour to state that the present oil engine at Harihar is not required by this Department-

2 As regards the new gas engine required, the Director of Industries and Commerce has a 14 H P Suction Gas Plant available at Bannur costing Rs 5,500/- The Executive Engineer, Water Supply Division, considers that this would be quite suitable for Harihar-

3 Messrs, Massey & Co , of Madras have quoted for a 12 B H P Ruston Hornsby Suction Gas Engine with suitable plant for using country made charcoal complete with ----- silencers, air, gas and exhaust piping to standard plan and foundation bolts, F O R Madras, for Rs 6,050/- less 15 per cent

4. I am of opinion that the gas plant at Bannur may be obtained from the Industries and Commerce Department-

I have the honour to be,

Sir,

Your most obedient servant,

CHIEF ENGINEER OF MYSORE.

A.N/3-5.

G. R. S. VI—(3/32)

SUBJECT .....

Diary No. of letter replied to

General and Revenue Secretariat

( )

, the 191

Date of issue 15 5 22

Signed by Mr D C S.

Section ml

File No. 119-21

Serial No 6

No. L 6697

To The Dy Le Dept

Sir,

I am directed to invite yr attention to the enquiries noted below and to request the favour of an early reply thereto.

Yours &c

for The Secy

This Office memo No L 538 of ml dt 22nd March yr enquiry whether no argument was taken by the Dept at the time

dtd 17/5/22

Cas Dept 19/5

6937

List of exhibits:

Copies to

Enclosure by

63960

TELEGRAPHIC ADDRESS "INDUSTRIES"

In reply please refer to No. 2152.

Encl. No.

OFFICE OF THE
DIRECTOR OF INDUSTRIES AND COMMERCE IN MYSORE.
Bangalore the 20th May 1922

FROM

P G D'SOUZA, Esq., B.A., B.L.,
Director of Industries and Commerce in Mysore
Bangalore (India)

25 MAY 1922

To

The Secretary to the Government of Mysore,
Revenue Department,
Bangalore.

Sir,

With reference to your No L 6697/M1 of the 15th instant, enquiring whether the Oil Engine of the Harihar Water Supply can be taken to this Department, I have the honour to state that there is no need for an engine of the type for the Department, but I will keep it in view and offer it for sale when there is an enquiry. I have asked the Public Works Department in Water Supply Division for its price etc., and the same is awaited.

I have the honour to be,

Sir,

Your most obedient servant,

P Anantha Subramanya
for DIRECTOR.
Manufacturers Agents
and Commercial Agents

G. R. S. VI—G/32]

SUBJECT.....

Diary No. of letter replied to 47133

General and Revenue Secretariat
(Ind)
, the 191

Date of issue 12/7/22

Signed by for D.C.S.

Section Ind
File No. 1.19-21
Serial No. 8
No. L 236 Ind 22

To Head Clerk
Shahdara Dist

Sir,

With reference to correspondence ending with your letter No C 114 Ind 21-228 dtd 23rd January 1922 on the matter of Water Supply to the Hanchar Town by gas engine, I am directed to state that neither the P.W.D nor the Industries and Commerce Dept is in

Send enclosed copies of correspondence between this office and the Chief Engineer and the Director of Industries & Commerce from which it will be seen

6957

in need of the Oil-Engine at Hanstan. The Director of Industries & Commerce, however, promises to offer it for sale when there is an enquiry.

2 The Chief Engineer in his Secretariat intimates that a 18 BP engine belonging to the Irrigation Deptt costing Rs 5300/- is available at Bannun and that it would suit the requirements of Hanstan.

3 I am to request you to be so good as to communicate the above information to the Municipal Committee of Hanstan

I have the

Secy to Govt
Public Works Deptt

Copied by
Examined by

List of enclosures.

J.W.
4/7/22

G R S VI—G/32] 2917

SUBJECT ...

Diary No. of letter replied to 7133

General and Revenue Secretariat
(LSG)
the 191

Date of issue 4/8/22

Signed by WDCS

Section LSB Jul
File No 119 21
Serial No 9
No L 1180

To The Deputy Commissioner,
Chittagong Distt

Sir,

In continuation of correspondence ending with the office letter No L 236 Jul 119-21 8 of the 12th July 1922, I am directed to request you to be so good as to intimate ~~to Govt~~ whether the Station Municipal Council is or is not agreeable to make over its own arrangements for the water supply from 1st February 1923 or thereabouts or whether it wants to dispose



of the oil engines used for pumping before making such arrangements.

List of enclosures.

Copied by

Examined by

L 2107 2411 32
27/10 22
19

From
A. K. Syed Taj Peeran Esquire, B.A.,
Deputy Commissioner,
Chitaldrug District.

To
T. F. Jayarama Iyer Esq., B.A., B.L.,
Secretary to Government,
Revenue Department,
Bangalore.

Dated } Ml 119-21—10
Despatched } 17th October 1922.
Received L# 26 OCT 1922
General No. C 114 Ml 4
No.
Enclosure No Ml-Ml-

Sir,

With reference to your letter No.L. 1180/Ml 119-21-9 dated the 1st August 1922 enquiring whether the Harihar Municipal Council is agreeable to make its own arrangements for the water supply from 1-2-1923 &c, I have the honor to forward herewith copy of the resolution of the Municipal Council in the matter it will be seen therefrom that it is not possible for the Council to make any such arrangements for their water supply from 1st February 1923 with the existing oil Engine and pump, and that the Council desire that the present amalgamation of the Harihar and Davangere water works may be allowed to continue until the existing Engine used for pumping will be disposed of and proper arrangements made for the water supply. In view of the unprepared and helpless condition of the Harihar Municipal Council, to undertake to manage their water works independently

that at present it seems to me that it is desirable to continue
tion as prayed for by the Council. I request that needful orders of
ment may kindly be obtained in the matter, at an early date

I have the honor to be,

S I R,

Your most obedient servant,

Deputy Commissioner,
Whitehorse District.

monthly meeting proceedings of Harihar town Municipality held on 29th Aug. 1922

President—

Dr Abdus Subhan Esqr. - - - - P

Deputy Commissioner and President

Vice President—

Dr H M Channabasaiah - - - - - - - P

Ex officio members

1 Ex P W Sub Division officer Davangere - - -

2 Sub Registrar Harihar - - - - - - P

3 Sub Asst Surgeon Harihar - - - P

Non-official members.

1 Mr. Nadig Dattaru Rao - - - - - - P

2 " Hanagurigappa - - - - - - - - P

3 " G Gundappa Naik - - - - - - P

4 " M Sankaravanappa - - - - - - A

5 " M Guddappa Naik - - - - - P

6 " Patel Mahadevappa - - - - - - P

7 " Gadagamatt Hanumagappa - - - - P

8 " J Pundalikarao - - - - - - P

9 " Kanavalley Nayak Sab - - - P.

10 " Syed Abdul Gafoor Sab - - - A

11 " Virupakshappa Sanji - - - A

Sub: Item 4

1928లో ఆంధ్ర క్రిస్టియన్ అసోసియేషన్ వారు తమ ఆధ్వర్యంలో
కళాశాల మరియు పాఠశాల కొరకు ఒక ప్రత్యేక సంస్థను ఏర్పాటు
చేయాలని కోరగా ఆ సంస్థ ఏర్పాటు చేయడం జరిగింది. అయితే
ఇది చాలా కాలం నుండి విడివిడిగా వున్న సంస్థలు ఎందుకు
ఒకే సంస్థగా ఏర్పడకూడదని ఆలోచించి ఆ రెండు సంస్థలను
కలిపి Amalgamation చేయడం జరిగింది. అయితే
ఆంధ్ర క్రిస్టియన్ కళాశాల ఆంధ్ర క్రిస్టియన్ కాలేజీ
అయినప్పటికీ ఆంధ్ర క్రిస్టియన్ కళాశాల అనే పేరు
ఆంధ్ర క్రిస్టియన్ కాలేజీ అనే పేరు రెండూ వాడుకలో
ఉన్నవి. Amalgamation కంపెనీస్ చట్టం ప్రకారం
చేయడం జరిగింది. ఆ చట్టం ప్రకారం ఆస్తులు
కళాశాల మీద ఉన్న కేసులు

Sd/- M. Abdus Subhan
President

"Copy"

M. Bhaskara Rao
Vice President

Dt. 4.10.28

G.R .S VI G 34]

SUBJECT .....

Diary No. of letter replied to... 2109/L

General and Revenue Secretariat

(L Sly)

, the 192

Date of issue..... 8/11/22

Signed by.... Mr Des

May this be

i Printed ?

ii treated as a standing order ?

iii published in the Gazette,
English Part ?

iv translated ?

v placed at the disposal of the press ?

vi published in the Gazette,
Kannada Part ?

Section Irl

File No 119-21

Serial No. 11

Proceedings of the Government of
His Highness the Maharaja of Mysore

Read— The following three Govt Orders on the subject of Amalgamation of the Davangere & Harihar Water Works for an aggregate period of 36 months, from the date of the last of the three orders, i.e. the last day of January 1923 the date on which all papers the actual working charges

(i) Govt No R 6681-3 Irl 167 18 8 dy 8th Dec 1919

(ii) Govt No R 9993-5 Irl 167 18 8 dy 21st January 1920

(iii) Govt No R 14380-2 Irl 227-20-2 dy 30th June 1921

Order Thereon— No.

2 Letter No C 114 Irl 21 22 dy 28th Oct 1922 from the Dy Comr Chitaldrug reporting that the Municipal Council of Davangere Town request that the Harihar Town Municipal Council may be asked to make their own arrangements for [illegible]

EK 1/11/22
8/11

37

arrangements to have a Separate Scheme for their water Supply at the end of December 1921 as the continuing of the Amalgamation of the water works of both the Towns will prejudice their interests

3 Refer No C 1144 Vol 21 22 & 23 and June 1922

Letter No C 1144 Vol 21-22 dated 17th October 1922 from the Secretary, Admiralty, Whitehall — Submitting a copy of a resolution of the Hamhar Town Vol CC dated the 28th Aug 1922 to the effect that it is not possible for them to make their own arrangements for their water Supply from 1st July 1923 with the existing Oil Engine & Pumps and that they desire that the existing arrangements may be allowed to continue until the existing Engine used for pumping is disposed of & proper arrangements made for the water Supply, and recommends that in view of the unprepared and helpless condition of the Hamhar Town Vol CC to undertake to manage their water works independently just at present the period of amalgamation may be extended

Order No. L337-24 dated 8/11/22

The period of amalgamation of the water works in question is further extended for a period of six months from the 1st July 1923 by which time the Hamhar Town Municipal Council should make their own arrangements for their water supply

Ack

from the above Local Officer

Forwarding a copy of resolution of the Hamhar Town Vol CC of the 30th Nov 1920 to the effect that the Amalgamation may continue till the end of June 1923 by which time they will make their own arrangements for their water Supply

List of enclosures ... 14

Copied by

Examined by

WD 1983—GPB 1 000 00—21 12-21

To The Engineer, Chatham
" Secretary, Engineering Department
" Comptroller

G.R.S. 87]

File No.

Serial Nos.

190

GENERAL AND REVENUE SECRETARIAT.

( )

Part A - Manuscript
for

Serial Nos.

G.P.S.—5,000—30-3-36.